



FIRE DOORS

FIBERGLASS & STEEL SYSTEMS




JELD-WEN Fire Door Systems are engineered to conform to either 90-minute or 20-minute fire codes.

Unmatched adjustability, ease of installation and reliability distinguish the Fire Frame kerf steel door frame. Designed and manufactured for a full range of residential and commercial installations in wood or steel stud construction, Fire Frame features a full 1" of adjustability to accommodate most variations in wall construction. Extensive engineering and thorough testing enable this frame to meet the most stringent code requirements including the proper closing and latching specified for a full 90-minute fire rating.

Table of Contents

Anatomy of a Fire Door	FD-1
90-Minute Steel Doors with 90-Minute Steel Frames	FD-2 thru 4
Steel Fire Frame Options	FD-4
20-Minute Fiberglass Doors with 20-Minute Wood Jambs	FD-5
20-Minute Steel Doors with 20-Minute Wood Jambs	FD-6 and 7




FIRE LABELS – 90-Minute Fire Rating up to 3'-0" x 6'-8" Single.

STRUCTURAL PERFORMANCE AND IMPACT RATING

Design pressure ratings available for compliance with national, state and local wind load and/or missile requirements. Product approval under the Miami-Dade BCCO NOA or Intertek-testing Services/Warnock Hersey® programs.

DOOR SELECTION

Fire Frame is available in either right or left hand, both inswing and outswing, for use with any entry door. Fits wall sizes from 4 1/2" thru 10 1/2" based on 1" increments.



FIRE FRAME

90CT-60
90-Minute Contours 6-Panel Door

Door Rating + Door Panel + Door Style = Unit Description			
90	CT	60	90CT-60
90-Minute Rating	(Contours Steel Panel)	(6-Panel)	

Door Ratings	
20	20-Minute Rating
90	90-Minute Rating
Door Panel	
DM	Design-Pro Mahogany
DO	Design-Pro Oak
DF	Design-Pro Fir
SP	Smooth-Pro
CT	Contours

Door Style	
14	1-Panel Plank
24	2-Panel Plank
20	2-Panel Arch Top
21	2-Panel Square Top
30	3-Panel
40	4-Panel
41	4-Panel Arch Top
60	6-Panel
80	8-Panel
90	9-Panel
100	Flush

90-Minute Steel Doors with 90-Minute Steel Frames



JELD-WEN Steel Door Features:

- 90-Minute UL "B" Label Fire Rated
- 24-Gauge Galvanized Steel
- Solid Insulating Core
- Steel Edges
- Surpasses ASTM E-152 Fire Endurance Test
- Single Bore - 2³/₄" Backset (2¹/₈" Facebore)

Split-Jamb Steel Fire Frame:


Our split-jamb technology ensures maximum fit and performance.

Features include:

- 90-minute positive pressure fire-rating and 20-minute smoke WHI.
- An all aluminum base threshold for added durability.
- Passes ASTM E-2074-00 with S-Label, UL IO C, and UBC 7-2-1997 codes.**
- 20-gauge closure with 1" of adjustability
- Compression type weatherstrip for a weather-tight seal
- 20-gauge powder coated primed galvanized base frame

SET-UP UNIT: §

Consists of: Steel Door in Steel Frame for 4¹/₂" - 5¹/₂" wall
Hinges - 6'-8" & 7'-0" - Spring Hinges (2) Standard (1) 4" x 4" Zinc Dichromate
8'-0" - Spring Hinges (2) Standard (2) 4" x 4" Zinc Dichromate



Size	Flush	1/4" Wire Glass 10" x 10"	1/4" Wire Glass 5" x 20"	1/4" Wire Glass 3" x 33"
	90CT-100	90CT-101	90CT-102	90CT-103
2'-6" x 6'-6"	\$635.00	\$800.00	\$ 843.00	\$ 843.00
2'-8"	635.00	800.00	843.00	843.00
3'-0"	635.00	800.00	843.00	843.00
2'-0" x 6'-8"	<i>\$582.00</i>	<i>\$747.00</i>	<i>\$ 789.00</i>	<i>\$ 789.00</i>
2'-6"	582.00	747.00	789.00	789.00
2'-8"	582.00	747.00	789.00	789.00
2'-10"	582.00	747.00	789.00	789.00
3'-0"	582.00	747.00	789.00	789.00
	90CT7-100	90CT7-101	90CT7-102	90CT7-103
2'-0" x 7'-0"	<i>\$667.00</i>	<i>\$832.00</i>	<i>\$ 874.00</i>	<i>\$ 874.00</i>
2'-6"	<i>667.00</i>	<i>832.00</i>	<i>874.00</i>	<i>874.00</i>
2'-8"	<i>667.00</i>	<i>832.00</i>	<i>874.00</i>	<i>874.00</i>
2'-10"	<i>667.00</i>	<i>832.00</i>	<i>874.00</i>	<i>874.00</i>
3'-0"	667.00	832.00	874.00	874.00
	90CT8-100	90CT8-101	90CT8-102	90CT8-103
2'-0" x 8'-0"	<i>\$811.00</i>	<i>\$976.00</i>	<i>\$1,018.00</i>	<i>\$1,018.00</i>
2'-6"	<i>811.00</i>	<i>976.00</i>	<i>1,018.00</i>	<i>1,018.00</i>
2'-8"	<i>811.00</i>	<i>976.00</i>	<i>1,018.00</i>	<i>1,018.00</i>
2'-10"	<i>811.00</i>	<i>976.00</i>	<i>1,018.00</i>	<i>1,018.00</i>
3'-0"	<i>811.00</i>	<i>976.00</i>	<i>1,018.00</i>	<i>1,018.00</i>

Rough Stud Opening – Width					
Door Width	2'-0"	2'-6"	2'-8"	2'-10"	3'-0"
Rough Opening	25"	31"	33"	35"	37"

Rough Stud Opening – Height			
Door Height	With Standard Sill	With Public Access Sill and Outswing Sill	No Sill
6'-6"	78-7/16"	77-5/8"	77-1/4"
6'-8"	80-7/16"	79-5/8"	79-1/4"
7'-0"	84-7/16"	83-5/8"	83-1/4"
8'-0"	96-7/16"	95-5/8"	95-1/4"

CONSULT LOCAL CODES FOR REQUIREMENTS FOR FIRE RATED OPENINGS

CT = Contours™

NOTES: Items priced in *italics* are factory order – please allow additional lead time.

§ Door hung on pre-hanging package frame - installation pack shipped K.D.

** When used in a JELD-WEN steel fire door and frame system.

90-Minute Steel Doors with 90-Minute Steel Frames



JELD-WEN Steel Door Features:

- 90-Minute UL "B" Label Fire Rated
- 24-Gauge Galvanized Steel
- Solid Insulating Core
- Steel Edges
- Surpasses ASTM E-152 Fire Endurance Test
- Single Bore - 2³/₄" Backset (2¹/₈" Facebore)

Split-Jamb Steel Fire Frame:

Our split-jamb technology ensures maximum fit and performance.

Features include:

- 90-minute positive pressure fire-rating and 20-minute smoke WHI.
- An all aluminum base threshold for added durability.
- Passes ASTM E-2074-00 with S-Label, UL IO C, and UBC 7-2-1997 codes.**
- 20-gauge closure with 1" of adjustability
- Compression type weatherstrip for a weather-tight seal
- 20-gauge powder coated primed galvanized base frame

SET-UP UNIT: §

Consists of: Steel Door in Steel Frame for 4¹/₂" - 5¹/₂" wall
Hinges - Spring Hinges (2) Standard (1) 4" x 4" Zinc Dichromate

New! FLAT PANEL

- Fresh contemporary look complements interior doors and allows design flexibility
- Clean lines and contemporary styles
- Dependable performance and security
- Primed white and ready to paint



Size	1-Panel	2-Panel	3-Panel
	90CF-10	90CF-20	90CF-30
2'-8" x 6'-8"	\$601.00	\$601.00	\$601.00
2'-10"	601.00	601.00	601.00
3'-0"	601.00	601.00	601.00

New! DIAMOND PLATE


- Diamond Plate recessed single panel
- Primed white and ready to paint



Size	Diamond Plate / Diamond Plate	Diamond Plate / 6-Panel Raised
	90CT-10D	90CT-10D60
2'-8" x 6'-8"	\$607.00	\$607.00
2'-10"	607.00	607.00
3'-0"	607.00	607.00

90-Minute Steel Doors with 90-Minute Steel Frames

CONTOURS PROFILE



Size	2-Panel Arch Top	2-Panel Square Top	3-Panel	4-Panel	4-Panel Arch Top	6-Panel	8-Panel	9-Panel
Sticking:						Beaded		
	90CT-20	90CT-21	90CT-30	90CT-40	90CT-41	90CT-60	90CT-80	90CT-90
2'-6" x 6'-6"	-	-	-	-	-	\$644.00	-	-
2'-8"	-	-	-	-	-	644.00	-	-
3'-0"	-	-	-	-	-	644.00	-	-
Sticking:	Tiered	Tiered	Beaded	Ovolo	Ovolo	Beaded & Ovolo	Beaded	Beaded
2'-6" x 6'-8"	-	-	-	-	-	\$591.00	-	-
2'-8"	\$654.00	\$654.00	\$630.00	\$591.00	\$608.00	591.00	\$647.00	\$647.00
2'-10"	654.00	654.00	630.00	591.00	608.00	591.00 ★	647.00	647.00
3'-0"	654.00	654.00	630.00	591.00	608.00	591.00	647.00	647.00
						90CT7-60		
Sticking:						Beaded		
2'-8" x 7'-0"	-	-	-	-	-	\$676.00	-	-
3'-0"	-	-	-	-	-	676.00	-	-
						CT8-60		
Sticking:						Ovolo		
2'-6" x 8'-0"	-	-	-	-	-	\$858.00	-	-
2'-8"	-	-	-	-	-	858.00	-	-
2'-10"	-	-	-	-	-	858.00	-	-
3'-0"	-	-	-	-	-	858.00	-	-

★ Ovolo 2'-10" 6-Panel non stock.

Steel Fire Frame Options:		6/6, 6/8	7/0	8/0
ADD to Basic Unit:				
5 1/2" - 6 1/2" wall (C-63)	ADD	\$21.00	\$ 9.00	\$10.00
6 1/2" - 7 1/2" wall (C-73)	ADD	30.00	20.00	21.00
7 1/2" - 8 1/2" wall (C-83) - (3'-0" only)	ADD	41.00	29.00	34.00
8 1/2" - 9 1/2" wall (C-93) - (3'-0" only)	ADD	50.00	39.00	44.00
9 1/2" - 10 1/2" wall (C-103) - (3'-0" only)	ADD	60.00	49.00	55.00
Outswing (includes 1 non-removable pin hinge & 2 spring hinges - Zinc Dichromate)	ADD	2.00	29.00	41.00
Spring Hinges (2) - Zinc Dichromate		INCLUDED		
Spring Hinges (2) - Bright Brass, Antique Nickel, Satin Nickel, Oil-Rubbed Bronze, Black Zinc	ADD	3.00	3.00	3.00
Deadbolt Prep (2 1/8" Facebore)	ADD	11.00	11.00	11.00
Optional Zinc Dichromate Adjustable T-Strike or Deadbolt Strike (per strike):				
Antique Brass, Oil-Rubbed Bronze, Bronze, Black (Satin Brass Deadbolt Strike)	ADD	3.00 ea.	3.00 ea.	3.00 ea.
Optional Finish Adjustable T-Strike or Deadbolt Strike: Bright Brass, Bright Chrome	ADD	22.00	22.00	22.00
Door Viewer (UL) - Bright Brass	ADD	23.00	23.00	23.00
- Antique Bronze Oil-Rubbed, Satin Nickel, Satin Chrome	ADD	27.00	27.00	27.00
Sill Extender 3/4" - Inswing	ADD	7.00	7.00	7.00
Sill Extender 2" - Inswing	ADD	13.00	13.00	13.00
Public Access Sill 4-9/16" Wall - 3'-0" only (not applied)	ADD	2.00	29.00	29.00
Public Access Sill 6-9/16" Wall - 3'-0" only (not applied)	ADD	12.00	39.00	39.00
Blocked for Panic and/or Closer Hardware (3'-0" only) - no bore				
90CT-100, 90CT-60 Beaded only	ADD	63.00	-	-



20-Minute Fiberglass Doors with 20-Minute Wood Jambs


Basic Unit Includes (Inswing):

- Warnock-Hersey 20-Minute Rated Door (labeled)
- 20-Minute Rated 4⁹/₁₆" Finger-Joint and Primed Jamb (labeled)
- Primed Brickmould
- Aluminum Adjustable Sill - Mill Finish
 - w/Hardwood Threshold & Interior Strip
 - w/Protective Sill Cover
 - w/Sill Horns
- Compression Weatherstrip, Corner Seals & Bulb/Fin Door Bottom
- Spring Hinges (2) Standard (1) 4" x 4" Zinc Dichromate
- Single Bore - 3'-0" - 2³/₄" Backset (2'¹/₈" Facebore)
 - 2'-0", 2'-6", 2'-8" & 2'-10" - 2³/₈" Backset (2'¹/₈" Facebore)

SINGLE DOOR OPTIONS		6'-8"
• 6 ⁹ / ₁₆ " FJP 20-Min. Jamb	ADD	\$ 39.00
• 4 ⁹ / ₁₆ " Clear 20-Min. Jamb	ADD	99.00
• 6 ⁹ / ₁₆ " Clear 20-Min. Jamb	ADD	112.00
• Flat Casing - Primed 1' ¹ / ₁₆ " x 3' ¹ / ₂ "	ADD	22.00
• Hinges Standard Non-Spring (3) Zinc Dichromate	DEDUCT	-16.00
• Deadbolt Bore (2' ¹ / ₈ " Facebore)	ADD	11.00
• No Primed Brickmould	DEDUCT	-14.00
• Outswing (Mill Finish)	ADD	42.00
For other Door Options, refer to Options Section - Tab OPT.		


Basic Unit Includes:
 1 pair 4" x 4" zinc dichromate *Spring Hinges*
 and 1 Standard Hinge.

DESIGN-PRO MAHOGANY, OAK & FIR FIBERGLASS DOORS



Size	2-Panel Arch Top	6-Panel	3-Panel Scroll	4-Panel	6-Panel	Flush	6-Panel
	20DM-20	20DM-60	20DO-31	20DO-40	20DO-60	20DO-100	20DF-60
3'-0" x 6'-8"	\$1,179.00	\$1,159.00	\$893.00	\$873.00	\$873.00	\$873.00	\$773.00

SMOOTH-PRO FIBERGLASS DOORS



Size	2-Panel Square Top	4-Panel	6-Panel	Flush
	20SP-21	20SP-40	20SP-60	20SP-100
2'-6" x 6'-8"	–	–	\$735.00	–
2'-8"	–	–	735.00	735.00
3'-0"	\$753.00	\$735.00	735.00	735.00

DM = Design-Pro Mahogany • DO = Design-Pro Oak • DF = Design-Pro Fir
 SP = Smooth-Pro

20-Minute Steel Doors with 20-Minute Wood Jambs

Basic Unit Includes (Inswing):

- Warnock-Hersey 20-Minute Rated Door (labeled)
- 20-Minute Rated 4⁹/₁₆" Finger-Joint and Primed Jamb (labeled)
- Primed Brickmould
- Aluminum Adjustable Sill - Mill Finish
 - w/Hardwood Threshold & Interior Strip
 - w/Protective Sill Cover
 - w/Sill Horns
- Compression Weatherstrip, Corner Seals & Bulb/Fin Door Bottom
- Spring Hinges (2) Standard (1) 4" x 4" Zinc Dichromate
- Single Bore - 3'-0" - 2³/₄" Backset (2¹/₈" Facebore)
2'-8" & 2'-10" - 2³/₈" Backset (2¹/₈" Facebore)

SINGLE DOOR OPTIONS		6'-8"
• 6 ⁹ / ₁₆ " FJP 20-Min. Jamb	ADD	\$ 39.00
• 4 ⁹ / ₁₆ " Clear 20-Min. Jamb	ADD	99.00
• 6 ⁹ / ₁₆ " Clear 20-Min. Jamb	ADD	112.00
• Flat Casing - Primed 1 ¹ / ₁₆ " x 3 ¹ / ₂ "	ADD	22.00
• Hinges Standard Non-Spring (3) Zinc Dichromate	DEDUCT	-16.00
• Deadbolt Bore (2 ¹ / ₈ " Facebore)	ADD	11.00
• No Primed Brickmould	DEDUCT	-14.00
• Outswing (Mill Finish)	ADD	42.00
For other Door Options, refer to Options Section - Tab OPT.		

Basic Unit Includes:
1 pair 4" x 4" zinc dichromate Spring Hinges
and 1 Standard Hinge.

New!
FLAT PANEL


- Fresh contemporary look complements interior doors and allows design flexibility
- Clean lines and contemporary styles
- Dependable performance and security
- Primed white and ready to paint



Size	1-Panel	2-Panel	3-Panel
	20CF-10	20CF-20	20CF-30
2'-8" x 6'-8"	\$497.00	\$497.00	\$497.00
2'-10"	497.00	497.00	497.00
3'-0"	497.00	497.00	497.00

New!
DIAMOND PLATE

- Diamond Plate recessed single panel
- Primed white and ready to paint



Size	Diamond Plate / Diamond Plate	Diamond Plate / 6-Panel Raised
	20CT-10D	20CT-10D60
2'-8" x 6'-8"	\$503.00	\$503.00
2'-10"	503.00	503.00
3'-0"	503.00	503.00

20-Minute Steel Doors with 20-Minute Wood Jambs


Basic Unit Includes (Inswing):

- Warnock-Hersey 20-Minute Rated Door (labeled)
- 20-Minute Rated 4⁹/₁₆" Finger-Joint and Primed Jamb (labeled)
- Primed Brickmould
- Aluminum Adjustable Sill - Mill Finish
 - w/Hardwood Threshold & Interior Strip
 - w/Protective Sill Cover
 - w/Sill Horns
- Compression Weatherstrip, Corner Seals & Bulb/Fin Door Bottom
- Spring Hinges (2) Standard (1) 4" x 4" Zinc Dichromate
- Single Bore - 3'-0" - 2³/₄" Backset (2¹/₈" Facebore)
 - 2'-0", 2'-6", 2'-8" & 2'-10" - 2³/₈" Backset (2¹/₈" Facebore)


SINGLE DOOR OPTIONS		6'-8"
• 6 ⁹ / ₁₆ " FJP 20-Min. Jamb	ADD	\$ 39.00
• 4 ⁹ / ₁₆ " Clear 20-Min. Jamb	ADD	99.00
• 6 ⁹ / ₁₆ " Clear 20-Min. Jamb	ADD	112.00
• Flat Casing - Primed 1 ¹ / ₁₆ " x 3 ¹ / ₂ "	ADD	22.00
• Hinges Standard Non-Spring (3) Zinc Dichromate	DEDUCT	-16.00
• Deadbolt Bore (2 ¹ / ₈ " Facebore)	ADD	11.00
• No Primed Brickmould	DEDUCT	-14.00
• Outswing (Mill Finish)	ADD	42.00
For other Door Options, refer to Options Section - Tab OPT.		

Basic Unit Includes:
1 pair 4" x 4" zinc dichromate Spring Hinges
and 1 Standard Hinge.

CONTOURS STEEL DOORS



Size	Sticking:	2-Panel Arch Top	2-Panel Square Top	3-Panel	4-Panel
		Tiered	Tiered	Beaded	Ovolo
		20CT-20	20CT-21	20CT-30	20CT-40
2'-6" x 6'-8"		–	–	–	–
2'-8"		\$510.00	\$510.00	<i>\$509.00</i>	–
2'-10"		<i>510.00</i>	<i>510.00</i>	<i>509.00</i>	–
3'-0"		510.00	510.00	<i>509.00</i>	\$491.00



Size	Sticking:	4-Panel Arch Top	6-Panel	8-Panel	9-Panel	Flush
		Ovolo	Beaded or Ovolo	Beaded	Beaded	
		20CT-41	20CT-60	20CT-80	20CT-90	20CT-100
2'-0" x 6'-8"		–	–	–	–	<i>\$472.00</i>
2'-6"		–	\$476.00★	–	–	472.00
2'-8"		–	476.00	<i>\$509.00</i>	<i>\$509.00</i>	472.00
2'-10"		–	476.00▲	<i>509.00</i>	<i>509.00</i>	<i>472.00</i>
3'-0"		<i>\$491.00</i>	476.00	<i>509.00</i>	<i>509.00</i>	472.00

NOTES: Items priced in *italics* are factory order – please allow additional lead time.

★ Available in beaded sticking only.

▲ 2'-10" Ovolo 6-Panel non stock.

Date:
Copy:

Subject:	Page No.

COMMENTS

	Notes
1.	
2.	
3.	
4.	
5.	
6.	
7.	
8.	
9.	
10.	
11.	
12.	
13.	
14.	
15.	
16.	
17.	
18.	
19.	
20.	
21.	
22.	
23.	
24.	
25.	
26.	
27.	
28.	
29.	
30.	
31.	
32.	