

FEATURES

- Arrow moves with the slightest breeze.
- Sturdily constructed of life-time Aluminum.
- Hinged mounting feet adjust to fit any roof.
- Easy to install.
- Ornaments are sculptured on both sides.
- Fully guaranteed against defects in materials or workmanship.
- Hammered appearance to resemble antique wrought iron.
- Baked-on enamel finish - black.



151-H—Horse
10" x 7" Ornament



151-E—Eagle
5 1/2" x 8 3/4" Ornament



151-R—Rooster
6" x 7" Ornament



151-CD—Country Doctor
12 1/2" x 6 1/4" Ornament



151-S—Sailboat
6 1/2" x 8" Ornament

STANDARD MODEL

Series No. 151
Black Ornaments

- Arrow points the direction from which the wind is blowing.
- 18" arrow length.
- 24" overall height.
- 3" high directional letters.
- Baked-on enamel finish - Black.

LIST PRICE — \$99.00



12 3/4" x 10 1/2" Ornament

DELUXE MODEL

Series No. 574-H
Gold Bronze Color Ornaments

- 33 1/2" arrow length.
- 40" overall height.
- 4" high directional letters.
- Recommended for use on Model No. 30 and larger Cupolas.

LIST PRICE — \$413.00



15" x 17" Ornament

SPECIAL MODEL

Series No. 610-EB

Recommended for Estate Series Cupolas

Classic, full bodied American Eagle in Gold Bronze color, Stand, Letters and Arrow in Swedish Iron finish.

- 33 1/2" arrow length.
- 46" overall height.
- 4" high directional letters.
- Recommended for use on Model No. 30 and larger Cupolas.
- Packaged in 2 cartons.

LIST PRICE — \$645.00

SHOWCASE SERIES - Copper Crafted

Showcase Series Weathervanes feature full-bodied figures hand-crafted from heavy gauge copper.



Landing Duck
\$918.00

35 1/4" overall height
Ornament: 3 1/4" high directional letters
Length: 19"
Height: 17" (bottom of feet to top of wing)
Wing span: 27"



Regal Rooster
\$760.00

41 1/2" overall height
25" x 20" Ornament




NATURAL CEDAR - the preferred wood

- Weather Resistant - rain and sun, heat and cold
- Decay and Insect Resistant
- Exceptional Durability
- Beautifully Designed - the perfect finishing touch
- Roof Covering is of high quality copper. Each roof is hand clad using Stainless Steel fasteners


ATTRACTIVE SOLUTION FOR UPPER AIR VENTILATION

- Natural airway to release warm, moist air
- No mechanical device needed


Plywood base can be cut to fit roof pitches up to 14/12 on the Charleston and Hampton and up to 20/12 on the Richmond, Hyde Park and Newport. All bases are unassembled.




Charleston
\$1,365.00



Hyde Park
\$1,817.00




Hampton
\$1,121.00



Newport
\$1,621.00

Model Name	Charleston	Hyde Park	Hampton	Newport	Richmond
Roof Opening	15" x 15" 130 sq. in. Ventilation Area	18" x 18" 192 sq. in. Ventilation Area	15" x 15" 130 sq. in. Ventilation Area	18" x 18" 192 sq. in. Ventilation Area	18" x 18" 192 sq. in. Ventilation Area
Base Specifications	21" x 21" x 16"	24" x 24" x 24"	21" x 21" x 16"	24" x 24" x 24"	24" x 24" x 24"
Height in Inches	54" Approx.	69" Approx.	60" Approx.	75" Approx.	69" Approx.
Maximum Pitch	14/12	20/12	14/12	20/12	20/12



Richmond
\$2,524.00

NOTES: Items priced in *italics* are factory order - please allow additional lead time.

- All wood parts are constructed of Natural Cedar, a decay and insect resistant wood with exceptional durability.
- Hand Clad, High Quality Copper Roof covering. Aluminum is also available.
- Virtually staple free roof appearance.
- Bases shipped K.D. and easily assembled on the jobsite.
- Large 5/4 sill on all Cupolas with assembly into tower post adds strength and enhanced appearance.
- Crown moulding is assembled and shipped nested over tower for convenience and ease of assembly.
- Wide range of sizes and styles available.
- Large selection of ornamental weathervanes from which to choose (sold separately).



STANDARD MODEL



GOVERNOR MODEL



PRESIDENT MODEL

	Model No.	List Prices	Roof Opening**	Size and Style Recommendations	Base Specifications*	Height	Maximum Pitch
STANDARD	24-A	\$ 385.00	13" X 13" 96 SQ. IN. VENTILATION AREA	SINGLE GARAGE, BREEZEWAY OR SMALL BUILDING	22" X 22" X 9"	25"	8/12
	24-C	458.00					
	27-A	440.00	16" X 16" 120 SQ. IN. VENTILATION AREA	SMALL HOME OR GARAGE	25" X 25" X 9"	26"	7/12
	27-C	490.00		15' TO 25' LONG AT RIDGE			
	30-A	544.00	19" X 19" 175 SQ. IN. VENTILATION AREA	HOME, LARGE GARAGE OR ATTACHED GARAGE	29" X 29" X 12"	31"	8/12
	30-C	610.00		20' TO 30' LONG AT RIDGE			
	36-C	899.00	21" X 21" 214 SQ. IN. VENTILATION AREA	HOME OR ATTACHED GARAGE	35" X 35" X 12"	33"	7/12
	42-C	1,048.00	26" X 26" 320 SQ. IN. VENTILATION AREA	HOME OR COMMERCIAL BUILDING	42" X 42" X 15"	40"	8/12
	48-C	1,422.00	28" X 28" 386 SQ. IN. VENTILATION AREA	HOME OR COMMERCIAL BUILDING MORE THAN 50' LONG AT RIDGE	48" X 48" X 15"	42"	7/12
GOVERNOR	25X33-A	609.00	16" X 16" 150 SQ. IN. VENTILATION AREA	HOME, LARGE GARAGE OR ATTACHED GARAGE	21" X 21" X 12"	41"	12/12
	25X33-C	718.00		15' TO 25' LONG AT RIDGE			
	28X45-C	893.00	19" X 19" 216 SQ. IN. VENTILATION AREA	HOME OR COMMERCIAL BUILDING	24" X 24" X 16"	51"	15/12
	36X55-C	1,337.00	24" X 24" 353 SQ. IN. VENTILATION AREA	HOME OR COMMERCIAL BUILDING	30" X 30" X 16"	59"	12/12
PRESIDENT	36X37-C HEXAGON	1,094.00	15" X 15" 130 SQ. IN. VENTILATION AREA	HOME OR COMMERCIAL BUILDING	Side to Side 25" X 25" X 16" Corner to Corner 34" X 34" X 36"	46"	12/12
	42X48-C HEXAGON	1,475.00	18" X 18" 192 SQ. IN. VENTILATION AREA	HOME OR COMMERCIAL BUILDING MORE THAN 50' LONG AT RIDGE	Side to Side 29" X 29" X 16" Corner to Corner 34" X 34" X 36"	52"	12/12

NOTES: A—Aluminum covered roof. C—Copper covered roof. *All cupola bases shipped unassembled.
 ** Size opening to be cut in roof to achieve maximum use of cupola louvers.

Pitched Triangular Gable Louver Unit

Primed Exterior and Interior

- 18 x 16 fiberglass screen applied inside.
- Made to fit under fascia.
- Furnished with long sill horns for installation with *brickmould or *flat casing.
- Made in halves for ease of installation.
- Carton packed . . . one set per carton.

*Casing by others




Unit Number	Pitch	Rough Opening	Jamb Width	Ventilating Area Per Unit	List Price
GL-412	4/12	9'-6" x 1'-8 1/2"	3"	198 sq. in.	\$458.00
GL-512	5/12	9'-1" x 1'-11"	3"	237 sq. in.	458.00
GL-612	6/12	7'-6 1/2" x 1'-11"	3"	194 sq. in.	411.00
GL-712	7/12	7'-3" x 2'-2"	3"	227 sq. in.	554.00
GL-812	8/12	6'-6" x 2'-2"	3"	198 sq. in.	500.00
GL-912	9/12	6'-5 1/2" x 2'-5 1/2"	3"	237 sq. in.	530.00
GL-1012	10/12	6'-1 1/4" x 2'-6 1/4"	3"	236 sq. in.	593.00
GL-1212	12/12	5'-3 1/2" x 2'-8"	3"	226 sq. in.	523.00

DECORATIVE WINDOWS, BLINDS and SHUTTERS - SEE TAB "DEC"


- Units Primed
- Square Inside
- Brickmould Casing
- Screen Inside
- Completely Set-up

Red Cedar Gable Louvers also Available - Please inquire.



* HRLSB 2-6 * HRLSB 3-0 HRLSB 4-0
\$284.00 \$345.00 \$511.00
Half Round Louver

	2'-8" x 1'-8 1/4"	3'-2" x 1'-8 1/4"	4'-2" x 2'-1 1/4"
Rough Opening	2'-8" x 1'-8 1/4"	3'-2" x 1'-8 1/4"	4'-2" x 2'-1 1/4"
Unit Dimension	2'-10" x 1'-9 1/4"	3'-4" x 1'-9 1/4"	4'-3 3/4" x 2'-2 3/8"
Jamb Width	2 3/8"	2 3/8"	2 3/8"
Vent Area	92 sq. in.	105 sq. in.	195 sq. in.




QRLSB 1-6 Left QRLSB 1-6 Right
\$225.00 Each
Quarter Round Louver

	1'-8" x 1'-7 3/4"
Rough Opening	1'-8" x 1'-7 3/4"
Unit Dimension	1'-9 3/4" x 1'-8 3/4"
Jamb Width	2 3/8"
Vent Area	51 sq. in.



* RLSB 2-0
\$275.00
Round Louver

	2'-2" x 2'-2"
Rough Opening	2'-2" x 2'-2"
Unit Dimension	2'-3 1/2" x 2'-3 1/2"
Jamb Width	2 3/8"
Vent Area	100 sq. in.



* RLSB 1-6
\$212.00
Round Louver


	1'-8" x 1'-8 1/4"
Rough Opening	1'-8" x 1'-8 1/4"
Unit Dimension	1'-10 1/2" x 1'-10 1/2"
Jamb Width	2 3/8"
Vent Area	57 sq. in.

Octagonal Inside & Outside



OL 1-6
\$194.00
Octagonal Louver

	1'-8" x 1'-8"
Rough Opening	1'-8" x 1'-8"
Unit Dimension	1'-9 3/4" x 1'-9 3/4"
Jamb Width	2 3/8"
Vent Area	69 sq. in.




RTLBSB 2-6
\$255.00
Round Top Louver

	1'-8" x 2'-7"
Rough Opening	1'-8" x 2'-7"
Unit Dimension	1'-9 3/4" x 2'-7 7/8"
Jamb Width	2"
Vent Area	119 sq. in.

* HRLSB 2-6, HRLSB 3-0, RLSB 1-6 and RLSB 2-0 are primed one piece moulded Urethane Brickmould and sill (where applicable).

PINE – unprimed Rectangular Louvers - Flat Casing	Unit Number	Rough Opening	Jamb Width	Unit Dimensions	Net Ventilating Area	List Price
	B-1010 (B2805) 4	1'-2" x 1'-2 1/2"	2 1/8"	1'-3 3/4" x 1'-2 7/8"	85 sq. in.	\$ 39.00
	B-1016 (B2807) 6	1'-2" x 1'-8 1/4"	2 1/8"	1'-3 3/4" x 1'-8 7/8"	135 sq. in.	59.00
	B-1020 8 slats	1'-2" x 2'-1 7/8"	2 1/8"	1'-3 3/4" x 2'-2 1/2"	174 sq. in.	68.00
	B-1620 8 slats	1'-8" x 2'-1 7/8"	2 1/8"	1'-9 3/4" x 2'-2 1/2"	256 sq. in.	81.00
	B-2020 8 slats	2'-2" x 2'-1 7/8"	2 1/8"	2'-3 3/4" x 2'-2 1/2"	345 sq. in.	108.00
	B-2026 10 slats	2'-2" x 2'-7 1/2"	2 1/8"	2'-3 3/4" x 2'-8"	449 sq. in.	127.00
	B-2028 (B2809) 11	2'-2" x 2'-10 1/4"	2 1/8"	2'-3 3/4" x 2'-10 3/4"	503 sq. in.	131.00

CEDAR Rectangular Louvers - Brickmould Casing	Unit Number	Rough Opening	Jamb Width	Unit Dimensions	Net Ventilating Area	List Price
	1016 (Cedar) 6 slats	1'-2" x 1'-7 3/4"	2"	1'-3 3/4" x 1'-8 1/2"	135 sq. in.	\$108.00
	1620 (Cedar) 10 slats	1'-8" x 2'-1 1/4"	2"	1'-9 3/4" x 2'-2 1/4"	256 sq. in.	156.00




WEBB HIGH PERFORMANCE (Low Maintenance) THERMOPLASTIC LOUVERS

The only louvers that let air in and keep rain out.


High-Performance Thermoplastic Louvers combine good looks and performance like no other ventilating product offered today. The ability of the molded louvers to stop water blow through, while maintaining large vent areas, is well tested and documented. HIGH PERFORMANCE THERMOPLASTIC louvers are the ventilation concept of the FUTURE.

FEATURES:


- ① Integral Nailing Fin allows louver attachment fasteners to be concealed for better sealing and is a FULL PERIMETER FLASHING.
- ② 18 x 16 Mesh Coated Aluminum Screening is standard on all units. Screen is sized for best insect and WATER PROTECTION and is welded in place.
- ③ Flap Valves activate at higher wind speeds to CLOSE OFF VENT AREA. This lessens rain/snow blow through.
- ④ Molded Baffle DIVERTS wind flow upward and sideways to lessen water blow through.
- ⑤ One piece Louver face is SEAMLESS with precision design and slotting for maximum vent area.
- ⑥ Weep system functions BOTH at low and high wind speeds. At low speeds wind and water flow sideways into holding chambers and out weep holes. At high wind speeds when flap valves are closed any water that does enter slots flows out weeps.
- ⑦ J-CHANNEL is available in two lengths (8'-0" and 10'-0") to fit all molded louvers and allow better siding junction with louver (optional extra).
 - Low-Maintenance White Finish.




Special Flexible "J Channel" for trimming irregular units to siding 10'-0" 62.00	Flexible J-Channel
--	-------------------------------



HP HRL 2-6
\$368.00
 Half Round Louver
 Rough Opening 34" x 21 1/4"
 Unit Dimension 34" x 21 1/4"
 Vent Area 115 sq. in.




HPRL 1-11
\$387.00
 Round Louver
 Rough Opening 27 3/4"
 Unit Dimension 27 3/4"
 Vent Area 124 sq. in.



HPRL 1-6
\$318.00
 Round Louver
 Rough Opening 22 3/4"
 Unit Dimension 22 3/4"
 Vent Area 73 sq. in.



HPRTL 2-6
\$435.00
 Round Top Louver
 Rough Opening 22 3/4" x 32 3/8"
 Unit Dimension 22 3/4" x 32 3/8"
 Vent Area 136 sq. in.



HPOL 1-6
\$324.00
 Octagonal Louver
 Rough Opening 22 3/4" x 22 3/4"
 Unit Dimension 22 3/4" x 22 3/4"
 Vent Area 76 sq. in.



Notes



Date: _____
Name: _____

Subject: _____

COMMENTS

Notes

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____
16. _____
17. _____
18. _____
19. _____
20. _____
21. _____
22. _____
23. _____
24. _____
25. _____
26. _____
27. _____
28. _____
29. _____
30. _____
31. _____
32. _____